BENJAMIN CUSHING HOUSE

Mires:

38-1/2 North Court Street, Providence, Providence County, Hode Island.

An addendum to Cushing House 36-1/2 North Court Street Providence, Mode Island, in <u>HABS Catalog</u> (1941)

Present Owner and Occupant:

R. Gretchen Nelson

Present line:

Dwelling

Brief Statement of Significance:

"Most of the mid-eighteenth century houses, which once stood along the west side of South Main Street and elsewhere in the then never sections of town, are gone or dilapidated beyond repair, so that this sturdy house is the more valuable as a record of this phase of Providence building" (Downing, Early House of Rhode Island, p. 205).

PART I. HISTORICAL INFORMATION

- A. Physical History
 - 1. Original owner: Benjamin Cushing
 - Date of erection: "In 1737, 'Benjamin Guehen' (Gushing)

 beught of Joseph Williams of Scituate a piece of property on North Main Street at the corner of North Court. Shortly afterward he erected his 'mansion house,' which has long since been moved to 38-1/2 North Court Street" (Downing, Early House of Rhode Island, p. 205).
 - 3. Notes on alterations and additions: The house was moved a short distance from North Main Street to its present location c. 1869. The present cumer, who is an architect, renovated the house in 1961 under her own direction. Some partitions have been changed, but the general layout and most of the detail is the same.
 - 4. Sources of information: Antoinette Forrester Downing, Early Homes of Rhode Island (Richmond, Virgina: Gerrett and Massie, 1937), pp. 128, 139, 142, 161, 169, 170, 204, 205, 209, 269.

HABS Inventory prepared by John Butchins Cady, January 24, 1957.

PART II. ARCHITECTURAL INFORMATION

A. General Statement

- 1. Architectural character: This two-story frame house is one of the few surviving from the mid-eighteenth century in Providence. Notable original features include the doorway, stairway, large cooking fireplace, and pencled fireplace wall in parlor.
- 2. Condition of fabric: Good.

B. Technical Beccription of Exterior

- Overall dimensions: Rectangular house, 33' (five bay south front) x 26'-3", two stories.
- 2. Foundations: Brick.
- 3. Wall construction: Plank wells, heavy timber frame, slapboards, corner boards.
- 4. Stoops: Granite entrance stoop from new sidewalk, four steps high.
- 5. Chimneys: Center brick chimney.
- 6. Openings:
 - a. Doorways and doors: Pedimented doorway with fluted Doric pliasters on pedestals, shell motives in the architraves, horisontal toplight, molded pediment with stepped horisontal cornice. Six panel door apparently new.
 - b. Windows and shutters: New nine over nine light double hung windows. Molded cornices and sills on first floor windows. Second floor cornices continuous with roof cornice. No shutters.

7. Roof:

- a. Shape and covering: Gable roof. Gable ends overhang lower floors about 1-1/2' on both ends. Shingles.
- b. Cornice: Molded cornice.

C. Technical Description of Interior

- 1. Floor plans: Five-room center-chimney-type plan. Entire house remodeled 1961 by present censes, some partitions changed but the general layout still the same. Two parlors on south front, more formal one on southwest; rear entrance in northeast room, previously a kitchen, now open to southeast parlor now used as a family room; dining room in north center; kitchen in northwest corner. Bedreoms on second floor, partially altered on north side for bathrooms. Third floor finished in 1961 with two bedreoms.
- 2. Stairweys: Main stair in entrance hall, U-shape, closed string with heavy molded outside string, heavy molded rail, turned belusters, square newels with pendants. New resr stair between dining room and northeast room. Both stairs continue to third floor or attic.
- Flooring: Wide board floors, up to 20", mostly original, some replaced in recent renovation.
- 4. Ceiling and Wall finish: Ceiling beens in dining room and southeast perior recently exposed. Plaster, painted, or papered walls.
- 5. Decrease and doors: Mostly two-panel doors, with over panels in southwest parlor. Some six-panel doors on second floor. Simple molded doorways.
- 6. Trim: Simple wood trim, beaded edges on exposed corner posts.
- Hardware: Iron hardware, H-L and strap hinges, mostly thumb latches, some open locks with brass knobs, large box lock in southwest parlor.
- 8. Lighting: Modern electric.
- 9. Heating: Central. Five fireplaces. In southeast parlor or family room, large original cooking fireplace, 2-1/2' deep, 6' wide, with oven, and cak limtel. Elaborate mantel in southwest parlor, fluted pilasters at the sides on pedestals are carried up to the ceiling, paneled over-mantel with carved shell niche in center, blue figured tiles around fireplace opening, fireplace opening enframed with crossetted molding. Downing, Early Homes of Phode Island, p. 205, says of this mantel: "Griginally the parlour fireplace opening was probably framed with a heavy bolection moulding,

but the lower part of the fireplace panelling has been altered."

Simpler, molded mantels on other fireplaces. The mentel in the southwest bedroom which is of a later date then the house, was taken from the southeast parler where the large fireplace had been out down in size but restored several years ago.

D. Site

The house is on a narrow lot in the middle of the block, set 40'-6" behind 36 North Court Street which faces on the street. Present landscaping in 1961.

Prepared by Commad R. Overby, Architect National Park Service February 1962

PROVIDENCE PRESERVATION SOCIETY

38 NORTH COURT STREET...Wood

Built...1737
By Benjamin Cushing sr

